What is light?

Bo Huang
Dept. Pharmaceutical Chemistry, UCSF

Light as rays

A simple thin lens



Focal length = f

A simple thin lens



$$\frac{1}{f} = \frac{1}{u} + \frac{1}{v}$$

Describing a light ray



Describing a light ray



$$(x_1, \theta_1) \Longrightarrow (x_2, \theta_2)$$

Geometric optics and ray tracing



Light as waves

Wavelength and frequency



$c = \lambda\nu$

$= 299{,}792{,}458\ \mathrm{m/s}$ in vacuum



Refractive index



$$n = \frac{c}{\text{speed in medium}} = \frac{\lambda_{\text{vacuum}}}{\lambda_{\text{medium}}}$$

Refraction





Snell's law:

$$n_1 \sin\theta_1 = n_2 \sin\theta_2$$

Explaining refraction



$$\Delta t = \frac{l_1}{c/n_1} = \frac{l_2}{c/n_2}$$

$$\Rightarrow \quad n_1 \sin\theta_1 = n_2 \sin\theta_2$$

$$l_1 = D\sin\theta_1 \qquad l_2 = D\sin\theta_2$$

Dispersion



Diffraction and interference



Diffraction





utoronto.ca

Interference



Interference



Constructive



Destructive

Thin film interference



- Thickness
- Angle
- Wavelength

Light propagation = diffraction + interference



Light propagation = diffraction + interference



Double slit interference



Double slit interference



$\Delta = d \sin\theta \approx dx/z$

$\Delta = k\lambda$ for constructive interference

Stripe distance = $\frac{z}{d} \cdot \lambda$

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \boldsymbol{B} = 0$$

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu_0 \boldsymbol{J} + \mu_0 \varepsilon_0 \frac{\partial \boldsymbol{E}}{\partial t}$$

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

Charge density

Electric field

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu_0 \boldsymbol{J} + \mu_0 \varepsilon_0 \frac{\partial \boldsymbol{E}}{\partial t}$$

Static electric field generated by charges



wikipedia

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \boldsymbol{B} = 0$$

Magnetic field

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu_0 \boldsymbol{J} + \mu_0 \varepsilon_0 \frac{\partial \boldsymbol{E}}{\partial t}$$

Magnetic force lines form closed circles.



wikipedia

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \boldsymbol{B} = 0$$

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu$$

Rate of change

A changing magnetic field generates electric field

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \boldsymbol{B} = 0$$

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu_0 \boldsymbol{J} + \mu_0 \varepsilon_0 \frac{\partial \boldsymbol{E}}{\partial t}$$

Electric current

Electric current and changing electric field generate magnetic field

Light as electromagnetic waves

Maxwell's equations

$$\nabla \cdot \boldsymbol{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \boldsymbol{B} = 0$$

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

$$\nabla \times \boldsymbol{B} = \mu_0 \boldsymbol{J} + \mu_0 \varepsilon_0 \frac{\partial \boldsymbol{E}}{\partial t}$$



Michael Davidson

Speed of light $= 1/\sqrt{\mu_0 \varepsilon_0}$

Polarization



Michael Davidson

wikipedia

Light as particles

From blackbody emission





Max Planck



$$E = h\nu$$

Photoelectric effect



The Encyclopedia of Science

Albert Einstein

1 Einstein = 1 mole of photons

Photon: the quantized energy of light



Wave-particle duality

Double-slit experiment of electrons



Akira Tonomura, PNAS, 2005

What light really is?